









Rediscover a familiar favourite.

HANSARONDA.

Harmony: No other series of fittings embodies this principle so credibly as the new HANSARONDA. The carefully yet thoroughly overhauled design ensures that the popular fittings of the design-oriented **HANSA**|LIVING segment appear young and fresh.

The harmonised range is also extremely modern and practical. The various HANSARONDA options for basin, bathtub and shower allow the realisation of numerous ideas and sophisticated, architecturally-related concepts when planning a bathroom.



The principle of sustainability has always been echoed in our products and production processes. We attach great importance to resource-friendly production procedures and durable, environmentally-friendly product concepts. Our fittings are quiet, easy to maintain, ensure water quality

and guarantee maximum hygiene. For example, HANSARONDA requires just 6 litres of water per minute half the amount of a conventional mixer.

Green responsibility is a guarantor of cutting-edge, ecological and intelligent Hansa technology.












For explanation of the symbols, see page 11







Comfortable, extremely practical and typically HANSARONDA: The special pull-out shower is ideal for washing hair and filling containers.

Always different. Always unmistakable:

HANSARONDA.

Typical for the <code>HANSA|LIVING-series</code> is the wide range of products in all the application areas. <code>HANSARONDA</code> therefore creates space for creative individuals in an exemplary manner. The basin mixer is usually influential for the design of a range of fittings. Of course, it is all the better if the design features are perfectly transferred to the bath and shower components. The flowing transitions and reduced clearances are not only optically appealing, but also particularly easy to clean. We thus make it easier for you to retain the deep shine of the high-quality surface for many years to come. Whether you choose comfortable

concealed solutions, a free-standing bathtub or a classic exposed fitting: HANSARONDA is particularly treasured due to the timeless overall look.







There are almost no limits to the design of the bath area in modern bathrooms. HANSARONDA offers a harmonious and effective functional solution for every planning option. For example, the HANSA bath und rim-mounted system provides you with almost unlimited arrangement options. Just as you desire (fig. middle).



The reduced and calming shapes are particularly emphasised when only the trim parts are visible and the reliable HANSA technology can operate efficiently in the background (fig. left).





Clear looks and easy to clean: The exposed solution in the shower is very impressive due to the concealed connections (fig. top). The concealed version on HANSAVAROX basis is plain yet stylish (fig. right).

Two perfect accompaniments to HANSARONDA:

HANSAMATRIX and HANSAVIVA.

HANSAMATRIX not only provides you with a wide range of products but also plenty of room for individual creativity. With this innovative product system, consisting of single-lever mixers, thermostats and accessories, architecturally-striking plans can be fully realised as a concealed solution.

The components of this system can be combined in a variety of ways with the aid of a classically proportioned grid. Innovative function combinations result in a clearly structured appearance of the fittings.

The new comfort-oriented HANSAVIVA shower range also has a perfectly harmonised design.

Besides the typical HANSA quality, stylish design and extensive functions, the series is mighty impressive due to its outstanding price/performance ratio. The series, ranging from hand showers and overhead showers to wall bars and shower systems, creates the largest possible basis for decision making.



The HANSAVIVA hand shower is available with shower head sizes of 100 mm and 130 mm. The ergonomically designed handle is very comfortable and easy to hold; the THERMO COOL function prevents the shower housing becoming hot.


Very practical: The special Twist Guard hose cone has an integrated twist guard.

Stylish details such as the fully chromeplated soap dish round off the high-quality appearance of the series. An integrated flow limiter reduces water consumption by up to 50%.

Modern and architecturally striking bathroom planning on the basis of HANSAMATRIX ensures the space is used to its maximum potential due to clever proportioning and effective arrangement.

The regular 25 mm grid dimension is the basis for each and every HANSAMATRIX plan, creating the greatest possible creative freedom and offering maximum safety via mounting rails.

The two basic shapes of the HANSA ${\bf MATRIX}$ components are also based on the 25 mm grid.









HANSARONDA Single-lever mixer, DN 15 0309 2173 chrome Projection: 100 mm



HANSARONDA Single-lever mixer, DN 15 0309 2273 chrome Projection: 100 mm with pressure hoses

Bathtub



HANSARONDA Single-lever mixer, DN 15 0308 2273 chrome Projection: 100 mm without draw-rod



HANSARONDA Single-lever mixer, DN 15 0301 2173 chrome Projection: 125 mm with extractable hand spray



HANSARONDA Single-lever mixer, DN 15 0303 2273 chrome for washbowls Projection: 148 mm without pop-up waste

Bathtub/Shower



HANSARONDA
Single-lever mixer, DN 15
0313 1173 chrome *
for open hot water heaters
Projection: 100 mm

Bidet



HANSARONDA
Trim kit single-lever mixer,
DN 15*
0383 2273 chrome
for wall installation
Projection: 182 mm



HANSARONDA Single lever mixer, DN 15 0306 3273 chrome Projection: 103 mm



HANSARONDA Bathtub spout, DN 15 (G 1/2) 0582 2172 chrome Projection: 180 mm



HANSARONDA Trim kit single-lever mixer for all 4-hole installation kits* 0340 2073 chrome Projection: 240 mm



Trim kit single-lever mixer for all 3-hole installation kits* 0341 9073 chrome for distant positioned bathtub spott (HANSAFILL) without HANSAFILL tub filler + drain assembly

Bathtub/Shower / HANSAMATRIX concealed



HANSARONDA Single-lever bathtub mixer, DN 15 (G 1/2) 0374 2173 chrome Projection: 163 mm



HANSAVIVA set for bathtub mixers 4417 0210 chrome with hose and bracket

Bathtub/Shower / HANSAVAROX concealed



HANSARONDA
Single-lever bathtub mixer,
DN 15*

0342 2073 chrome floor standing Projection: 200 mm



HANSAVAROX function unit with trim kit HANSARONDA single-lever bathtub mixer* 4384 9573 chrome rosette without screws function unit with diverter



HANSAVAROX function unit with trim kit HANSARONDA single-lever bathtub mixer* 4384 3573 chrome with vacuum breaker rosette without screws function unit with diverter



HANSAVAROX function unit with trim kit HANSA|LIVING thermostatic mixer, DN 15 (G1/2)* 4866 9501 chrome without water volume control

rosette without screws



HANSAMATRIX
Trim kit installation pack
09 single-lever mixer,
DN 15 (6172)*
4487 2090 chrome
suitable for HANSARONDA
with wall bar kit
with bathtub spout, DN 15



HANSAMATRIX
Trim kit installation pack
10 single-lever mixer,
DN 15 (G1/2)*
4487 2100 chrome
suitable for HANSARONDA
with shower kit
with bathtub spout, DN 15



Trim kit installation pack 11 thermostatic mixer, DN 15 (G1/2)* 4487 2110 chrome suitable for HANSARONDA with wall bar kit with bathtub spout, DN 15

Shower



HANSAMATRIX Trim kit installation pack 12 thermostatic mixer, DN 15 (G1/2)* 4487 2120 chrome

12 thermostatic mixer, DN 15 (G1/2)* 4487 2120 chrome suitable for HANSARONDA with shower kit with bathtub spout, DN 15



HANSARONDA Single-lever shower mixer, DN 15 (G 1/2) 0367 0173 chrome



Wall bar kit
900 mm
4415 0130 chrome
Length can be shortened

Shower / HANSAVAROX concealed



function unit with trim kit HANSARONDA single-lever shower mixer* 4386 9573 chrome rosette without screws function unit without diverter



HANSAVAROX function unit with trim kit HANSA|LIVING thermostatic mixer, DN 15 (G1/2)* 4866 9501 chrome without water volume control rosette without screws

Accessories



HANSA Trim kit* 0628 9105 chrome suitable for concealed valves with ceramic or spindle head part



HANSA Wall connection elbow, DN 15 5118 0173 chrome

* = low-pressure fitting

*plus concealed installation unit



HANSA Wall connection elbow, DN 15 with integrated volume control 5157 0173 chrome

can also be used as an angle



HANSA Wall bracket 4444 0173 chrome



HANSAMATRIX
Trim kit installation
pack 03 single-lever mixer,
DN 15 (61/2)*
4487 2030 chrome
suitable for
HANSARONDA
with wall bar kit
with HANSARAIN overhead
shower, DN 15



HANSAMATRIX
Trim kit installation
pack 04 single-lever mixer,
DN 15 (G1/2)*
4487 2040 chrome
suitable for
HANSARONDA
with shower kit
with HANSARAIN overhead
shower, DN 15



HANSAMATRIX
Trim kit installation
pack 01 single-lever mixer,
DN 15 (G1/2)*
4487 2010 chrome
suitable for
HANSARONDA
will all-metal wall bar
1100 mm



HANSAMATRIX
Trim kit installation
pack 07 thermostat mixer,
DN 15 (G1/2)*
4487 0070 chrome
suitable for
HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA
with wall bar kit
with HANSARAIN overhead
shower, DN 15



HANSAMATRIX
Trim kit installation
pack 08 thermostat mixer,
DN 15 (G172)*
4487 0080 chrome
suitable for
HANSADESIGNO,
HANSALIGNA,
HANSASTELA, HANSARONDA
with shower kit
with HANSARAIN overhead



HANSAMATRIX
Trim kit installation
pack 05 thermostat mixer,
DN 15 (61/2)*
4487 0050 chrome
suitable for
HANSADESIGNO,
HANSALIGNA,
HANSASTELA, HANSARONDA
with wall bar kit



HANSAMATRIX
Trim kit installation
pack 06 thermostat mixer,
DN 15 (G1/2)*
4487 0060 chrome
suitable for
HANSADESIGNO,
HANSALIGNA,
HANSASTELA, HANSARONDA
with shower kit

Excellent product quality is created when every detail is considered important, is well-thought-out, offers noticeable benefits. At least 1 product of the series display the assigned characteristics:

HANSARONDA

shower, DN 15



Flow rate restriction to 6 l/min and intelligent spray formation result in optimized water consumption for full comfort.



Extremely quiet. Fitting complies with the strict conditions under noise protection class 1.



Quick and easy to clean.



More range and functional plus thanks to a single or multi-spray pull-out shower.



WATER SAFE. Hi-tech functional core. Preserves water quality.



Our thermostats offer maximum safety with protection against scalding.



The right product for the modular and designoriented concealed system HANSAMATRIX.

HANSAVIVA



Flow rate restriction to 12 l/min and intelligent spray formation result in optimized water consumption for full comfort.



Quick and easy to clean.



THERMO COOL. Improved safety - the housing of the shower conducts minimal heat.



Twist Guard: Hose cone with an integrated twist protection.

 ${\tt HANSA-always\ there\ for\ you.}$

Head Office

Hansa Metallwerke AG Sigmaringer Str. 107 70567 Stuttgart Tel.: +49 711 1614 0 Fax: +49 711 1614 368